



Dow Corning® RM 2051 Thickening Agent

Applications

Dow Corning® RM 2051 Thickening Agent is a multifunctional solution that saves time and money. It can be used in a wide range of Personal Care applications:

- Skin care
- Sun care
- Rinse-off and leave-in hair conditioners
- Hair styling products

Compatibility

Dow Corning® RM 2051 Thickening Agent is compatible with:

- A wide range of mineral and organic oils
- Elastomer blends, gum blends and other difficult-to-emulsify silicones
- Esters
- Sunscreens
- Vitamins
- Formulations with high solvent content

Aesthetics

Dow Corning® RM 2051 Thickening Agent is a thickening polymer emulsified in a base of dimethicone and cyclopentasiloxane, so in addition to the multifunctional benefits described, the silicone carrier provides aesthetic benefits to your formulations:

- Smooth feel
- Non-greasy
- Non-sticky



beauty
WITH IMPACT

Simply pour and mix. All-in-one product combines stable thickening and emulsifying properties with the smooth, non-greasy and non-sticky aesthetics associated with silicones.

Ease of Use

Pour Dow Corning® brand RM 2051 Thickening Agent in the oil phase, add water and mix-gelling is instant.

Dow Corning® RM 2051 Thickening Agent was designed for cold processing based on simple pouring and mixing. Our thickening agent is a water-in-oil emulsion

of aqueous sodium polyacrylate in dimethicone (XIAMETER® PMX-200 Silicone Fluid 5 cSt). The emulsion also contains two surfactants, a silicone emulsifier (PEG/PPG-18/18 Dimethicone) to stabilize the Dow Corning® RM 2051 Thickening Agent and an inverting agent (trideceth-6), which helps bring the polymer into contact with the aqueous phase of the formulation. When water is added, the polymer expands instantly to thicken and give stability to the preparation. As the formulation thickens, the oil phase ingredients are emulsified and stabilized.

- No neutralization
- No heating
- Efficient use at low levels
- No clumping
- No dusting
- No static electrical charge

FIGURE A
Thickening Properties




FIGURE B
pH Influence

(Viscosity of a 5% Dow Corning® RM 2051 Thickening Agent aqueous gel vs. pH)





FIGURE C
Rheology Profile



Reliable Supply

As a global leader in silicones, silicon-based technology and innovation, the Dow Corning advantage is reliable supply, on-time delivery and local language support (product labels, collateral, technical/formulation assistance and more). Dow Corning also has one of the most sophisticated IT infrastructures available for improved enterprise resource planning around the world, electronic order entry, order tracking and invoicing.

How can we help you today?

Whether you need industry-leading innovation or greater cost efficiency, Dow Corning can help. *Dow Corning®* brand solutions are dedicated to meeting your needs for specialty materials, collaborative problem solving and innovation support. Learn how we can help you bring **BEAUTY WITH IMPACT** to your products, at dowcorning.com/personalcare. If you simply need to buy standard silicone materials at market-driven prices, we can help you achieve that through our XIAMETER® brand product line. Learn more at xiameter.com.

Your Global Connection

Americas +1 989 496 6000

Europe +49 0611 237 778

Asia +86 21 3774 7110

dowcorning.com/ContactUs

Images: Page 1: AV14402, AV14915, AV14408

LIMITED WARRANTY INFORMATION – PLEASE READ CAREFULLY

The information contained herein is offered in good faith and is believed to be accurate. However, because conditions and methods of use of our products are beyond our control, this information should not be used in substitution for customer's tests to ensure that our products are safe, effective and fully satisfactory for the intended end use. Suggestions of use shall not be taken as inducements to infringe any patent.

Dow Corning's sole warranty is that our products will meet the sales specifications in effect at the time of shipment. Your exclusive remedy for breach of such warranty is limited to refund of purchase price or replacement of any product shown to be other than as warranted.

DOW CORNING SPECIFICALLY DISCLAIMS ANY OTHER EXPRESS OR IMPLIED WARRANTY OF FITNESS FOR A PARTICULAR PURPOSE OR MERCHANTABILITY.

DOW CORNING DISCLAIMS LIABILITY FOR ANY INCIDENTAL OR CONSEQUENTIAL DAMAGES.

Dow Corning and XIAMETER are registered trademarks of Dow Corning Corporation. *We help you invent the future* is a trademark of Dow Corning Corporation.

©2005, 2009, 2012 Dow Corning Corporation. All rights reserved.

AMPM061-12

Form No. 27-1183B-01

DOW CORNING

We help you invent the future.™